



Inox Press Piping System

Zhejiang IPC Piping System Co. Ltd.

Address: No.153 RenHe Road, Binggang Industrial City, Yuhuan,Zhejiang
Tel.:+86-0576-87359392

NingBo IPC Piping System Co., Ltd.

Address: Floor 47, Building A, International Trade Center, Ningbo Chamber of Commerce,
No.558 of Taikangzhong Road, Yinzhou District, Ningbo,315100 China
Tel: +86(0)574 27670688-1001
Fax: +86(0)574 27670609
Email: sales@cbpipe.com
Website: www.cbpipe.cn



COMPANY PROFILE

We, IPC Piping system Co. Ltd, with a registered capital of USD 20 million and turnover USD 200 million 2023, are a national high-tech enterprise, certified by ISO9001, ISO14001 and also OHSAS18001/ISO45001. Our company is the world leading manufacturer of Carbon steel and Stainless steel Press Fitting and piping system.

We have established three manufacturing bases in China, one is in Taizhou, Zhejiang and another one is in Xingtai, Hebei province and a New Smart Factory in Jiaying, Zhejiang which was finished in May, 2021. The new base is a first advanced "lighthouse model" factory in this industry in China. All production bases are equipped with leading automated production facilities and lines.

We also use advanced technology of Electrophoresis surface treatment and nanotechnology epoxy resin coating. Through excellent innovation, research and development, our products are widely used in Water Supply, Gas, Fire Protection, Municipal Water Treatment, HVAC and other supporting application.

Our products have been certified by DVGW, WRAS, CSTB, ACS, GDV, and VDS. Especially for thick-wall carbon press piping, we have CUPC, FM and UL certificates. We have independent large CNAS approved laboratories with various inspection facilities for fittings and piping system. Such as material test and dimension calibration, spectrometer, profile scanner, CMM, metallographic

analyzer, salt spray test, pull-out test, pneumatic leakage test, eddy current testing line, bursting test, tumbling test, life cycle test, etc.

We inherit to the business philosophy of energy saving, environmental and sustainable development to lead the industry. Our company adheres to the strategic policy of "Making quality products, Setting a model for the business", and friendly cooperates with domestic and foreign customers with high-quality services, and work together to win splendid future!

Design Features



Leak Before Pressing



Different Choice of Seal Rings



Fast Visual Check



Fast Visual Check

Equal Coupler



ITEM CODE SS316L V PROFILE	ITEM CODE SS304 V PROFILE	SIZE (MM)
B2152700150000	B1152700150000	15
B2152700180000	B1152700180000	18
B2152700220000	B1152700220000	22
B2152700280000	B1152700280000	28
B2152700350000	B1152700350000	35
B2152700420000	B1152700420000	42
B2152700540000	B1152700540000	54
B2152700760000	B1152700760000	76
B2152700890000	B1152700890000	89
B2152701080000	B1152701080000	108

Equal Slip Coupler



ITEM CODE SS316L V PROFILE	ITEM CODE SS304 V PROFILE	SIZE (MM)
B2142750150000	B1142750150000	15
B2142750180000	B1142750180000	18
B2142750220000	B1142750220000	22
B2142750280000	B1142750280000	28
B2142750350000	B1142750350000	35
B2142750420000	B1142750420000	42
B2142750540000	B1142750540000	54
B2142750760000	B1142750760000	76
B2142750890000	B1142750890000	89
B2142751080000	B1142751080000	108

90° Equal Bend



ITEM CODE SS316L V PROFILE	ITEM CODE SS304 V PROFILE	SIZE (MM)
B2150020150000	B1150020150000	15
B2150020180000	B1150020180000	18
B2150020220000	B1150020220000	22
B2150020280000	B1150020280000	28
B2150020350000	B1150020350000	35
B2150020420000	B1150020420000	42
B2150020540000	B1150020540000	54
B2150020760000	B1150020760000	76
B2150020890000	B1150020890000	89
B2150021080000	B1150021080000	108

90° Street Bend



ITEM CODE SS316L V PROFILE	ITEM CODE SS304 V PROFILE	SIZE (MM)
B2150010150000	B1150010150000	15
B2150010180000	B1150010180000	18
B2150010220000	B1150010220000	22
B2150010280000	B1150010280000	28
B2150010350000	B1150010350000	35
B2150010420000	B1150010420000	42
B2150010540000	B1150010540000	54
B2150010760000	B1150010760000	76
B2150010890000	B1150010890000	89
B2150011080000	B1150011080000	108

90° Extend Street Bend



ITEM CODE SS316L V PROFILE	ITEM CODE SS304 V PROFILE	SIZE (MM)
B215001E0150000	B115001E0150000	15
B215001E0180000	B115001E0180000	18
B215001E0220000	B115001E0220000	22
B215001E0280000	B115001E0280000	28
B215001E0350000	B115001E0350000	35
B215001E0420000	B115001E0420000	42
B215001E0540000	B115001E0540000	54

45° Obtuse Equal Elbow



ITEM CODE SS316L V PROFILE	ITEM CODE SS304 V PROFILE	SIZE (MM)
B2150410150000	B1150410150000	15
B2150410180000	B1150410180000	18
B2150410220000	B1150410220000	22
B2150410280000	B1150410280000	28
B2150410350000	B1150410350000	35
B2150410420000	B1150410420000	42
B2150410540000	B1150410540000	54
B2150410760000	B1150410760000	76
B2150410890000	B1150410890000	89
B2150411080000	B1150411080000	108

45° Obtuse Street Elbow



ITEM CODE SS316L V PROFILE	ITEM CODE SS304 V PROFILE	SIZE (MM)
B2150400150000	B1150400150000	15
B2150400180000	B1150400180000	18
B2150400220000	B1150400220000	22
B2150400280000	B1150400280000	28
B2150400350000	B1150400350000	35
B2150400420000	B1150400420000	42
B2150400540000	B1150400540000	54
B2150400760000	B1150400760000	76
B2150400890000	B1150400890000	89
B2150401080000	B1150401080000	108

90° Bend with Female Thread



ITEM CODE SS316L V PROFILE	ITEM CODE SS304 V PROFILE	SIZE (MM)
B214002G0150400	B114002G0150400	15 × Rp 1/2"
B214002G0180400	B114002G0180400	18 × Rp 1/2"
B214002G0180600	B114002G0180600	18 × Rp 3/4"
B214002G0220600	B114002G0220600	22 × Rp 3/4"
B214002G0280800	B114002G0280800	28 × Rp 1"
B214002G0351000	B114002G0351000	35 × Rp 1 1/4"
B214002G0421200	B114002G0421200	42 × Rp 1 1/2"
B214002G0541600	B114002G0541600	54 × Rp 2"

90° Bend with Male Thread



ITEM CODE SS316L V PROFILE	ITEM CODE SS304 V PROFILE	SIZE (MM)
B214001G0150400	B114001G0150400	15 × R 1/2"
B214001G0180400	B114001G0180400	18 × R 1/2"
B214001G0180600	B114001G0180600	18 × R 3/4"
B214001G0220600	B114001G0220600	22 × R 3/4"
B214001G0280800	B114001G0280800	28 × R 1"
B214001G0351000	B114001G0351000	35 × R 1 1/4"
B214001G0421200	B114001G0421200	42 × R 1 1/2"
B214001G0541600	B114001G0541600	54 × R 2"

90° Elbow with Female Thread



ITEM CODE SS316L V PROFILE	ITEM CODE SS304 V PROFILE	SIZE (MM)
B214090G0150400	B114090G0150400	15 x Rp 1/2"
B214090G0180400	B114090G0180400	18 x Rp 1/2"
B214090G0220400	B114090G0220400	22 x Rp 1/2"
B214090G0220600	B114090G0220600	22 x Rp 3/4"
B214090G0280800	B114090G0280800	28 x Rp 1"
B214090G0351000	B114090G0351000	35 x Rp 1 1/4"

90° Elbow with Male Thread



ITEM CODE SS316L V PROFILE	ITEM CODE SS304 V PROFILE	SIZE (MM)
B214092G0150400	B114092G0150400	15 x R 1/2"
B214092G0180400	B114092G0180400	18 x R 1/2"
B214092G0280800	B114092G0280800	28 x R 1"
B214092G0351000	B114092G0351000	35 x R 1 1/4"
B214092G0421200	B114092G0421200	42 x R 1 1/2"
B214092G0541600	B114092G0541600	54 x R 2"

Wallplate Elbow with Female Thread



ITEM CODE SS316L V PROFILE	ITEM CODE SS304 V PROFILE	SIZE (MM)
B214471G0150400	B114471G0150400	15 x Rp 1/2"
B214471G0180400	B114471G0180400	18 x Rp 1/2"
B214471G0220600	B114471G0220600	22 x Rp 3/4"

Straight Flat Face Union with Female Swivel Nut



ITEM CODE SS316L V PROFILE	ITEM CODE SS304 V PROFILE	SIZE (MM)
B2143350150400	B1143350150400	15 x G 1/2"
B2143350150600	B1143350150600	15 x G 3/4"
B2143350180600	B1143350180600	18 x G 3/4"
B2143350220600	B1143350220600	22 x G 3/4"
B2143350220800	B1143350220800	22 x G 1"
B2143350280800	B1143350280800	28 x G 1"
B2143350281000	B1143350281000	28 x G1 1/4"
B2143350351000	B1143350351000	35 x G 1 1/4"
B2143350351200	B1143350351200	35 x G 1 1/2"
B2143350421200	B1143350421200	42 x G 1 1/2"
B2143350541600	B1143350541600	54 x G 2"
B2143350762000	B1143350762000	76 x G 2 1/2"

Tee with Female Branch



ITEM CODE SS316L V PROFILE	ITEM CODE SS304 V PROFILE	SIZE (MM)
B214130G0150415	B114130G0150415	15 x Rp 1/2" x 15
B214130G0180418	B114130G0180418	18 x Rp 1/2" x 18
B214130G0180618	B114130G0180618	18 x Rp 3/4" x 18
B214130G0220422	B114130G0220422	22 x Rp 1/2" x 22
B214130G0220622	B114130G0220622	22 x Rp 3/4" x 22
B214130G0280428	B114130G0280428	28 x Rp 1/2" x 28
B214130G0280628	B114130G0280628	28 x Rp 3/4" x 28
B214130G0350435	B114130G0350435	35 x Rp 1/2" x 35
B214130G0350635	B114130G0350635	35 x Rp 3/4" x 35
B214130G0350835	B114130G0350835	35 x Rp 1" x 35
B214130G0351035	B114130G0351035	35 x Rp 1 1/4" x 35
B214130G0420442	B114130G0420442	42 x Rp 1/2" x 42
B214130G0420642	B114130G0420642	42 x Rp 3/4" x 42
B214130G0420842	B114130G0420842	42 x Rp 1" x 42
B214130G0421242	B114130G0421242	42 x Rp 1 1/2" x 42
B214130G0540454	B114130G0540454	54 x Rp 1/2" x 54
B214130G0540654	B114130G0540654	54 x Rp 3/4" x 54
B214130G0540854	B114130G0540854	54 x Rp 1" x 54
B214130G0541654	B114130G0541654	54 x Rp 2" x 54
B214130G0760676	B114130G0760676	76.1x Rp 3/4"x 76.1
B214130G0761676	B114130G0761676	76.1 x Rp 2"x76.1
B214130G0890689	B114130G0890689	88.9 x Rp 3/4"x88.9
B214130G0891689	B114130G0891689	88.9 x Rp 2"x88.9
B214130G10806108	B114130G10806108	108 x Rp 3/4"x108
B214130G10816108	B114130G10816108	108 x Rp 2"x108

Reduced Coupler



ITEM CODE SS316L V PROFILE	ITEM CODE SS304 V PROFILE	SIZE (MM)
B2152400181500	B1152400181500	18 × 15
B2152400221500	B1152400221500	22 × 15
B2152400221800	B1152400221800	22 × 18
B2152400281500	B1152400281500	28 × 15
B2152400281800	B1152400281800	28 × 18
B2152400282200	B1152400282200	28 × 22
B2152400352200	B1152400352200	35 × 22
B2152400352800	B1152400352800	35 × 28
B2152400422200	B1152400422200	42 × 22
B2152400422800	B1152400422800	42 × 28
B2152400423500	B1152400423500	42 × 35
B2152400542800	B1152400542800	54 × 28
B2152400543500	B1152400543500	54 × 35
B2152400544200	B1152400544200	54 × 42

Fitting Reducer



ITEM CODE SS316L V PROFILE	ITEM CODE SS304 V PROFILE	SIZE (MM)
B2152430181500	B1152430181500	18 x 15
B2152430221500	B1152430221500	22 x 15
B2152430221800	B1152430221800	22 x 18
B2152430281500	B1152430281500	28 x 15
B2152430281800	B1152430281800	28 x 18
B2152430282200	B1152430282200	28 x 22
B2152430351500	B1152430351500	35 x 15
B2152430351800	B1152430351800	35 x 18
B2152430352200	B1152430352200	35 x 22
B2152430352800	B1152430352800	35 x 28
B2152430421500	B1152430421500	42 x 15
B2152430421800	B1152430421800	42 x 18
B2152430422200	B1152430422200	42 x 22
B2152430422800	B1152430422800	42 x 28
B2152430423500	B1152430423500	42 x 35
B2152430541500	B1152430541500	54 x 15
B2152430541800	B1152430541800	54 x 18
B2152430542200	B1152430542200	54 x 22
B2152430542800	B1152430542800	54 x 28
B2152430543500	B1152430543500	54 x 35
B2152430544200	B1152430544200	54 x 42
B2152430762200	B1152430762200	76.1 x 22
B2152430762800	B1152430762800	76.1 x 28
B2152430763500	B1152430763500	76.1 x 35
B2152430764200	B1152430764200	76.1 x 42
B2152430765400	B1152430765400	76.1 x 54
B2152430894200	B1152430894200	88.9 x 42
B2152430895400	B1152430895400	88.9 x 54
B2152430897600	B1152430897600	88.9 x 76.1
B2152431085400	B1152431085400	108 x 54
B2152431087600	B1152431087600	108 x 76.1
B2152431088900	B1152431088900	108 x 88.9

Tee With Reduced Branch



ITEM CODE SS316L V PROFILE	ITEM CODE SS304 V PROFILE	SIZE (MM)
B2151300181518	B1151300181518	18 x 15 x 18
B2151300221522	B1151300221522	22 x 15 x 22
B2151300221822	B1151300221822	22 x 18 x 22
B2151300281528	B1151300281528	28 x 15 x 28
B2151300281828	B1151300281828	28 x 18 x 28
B2151300282228	B1151300282228	28 x 22 x 28
B2151300351535	B1151300351535	35 x 15 x 35
B2151300351835	B1151300351835	35 x 18 x 35
B2151300352235	B1151300352235	35 x 22 x 35
B2151300352835	B1151300352835	35 x 28 x 35
B2151300421542	B1151300421542	42 x 15 x 42
B2151300421842	B1151300421842	42 x 18 x 42
B2151300422242	B1151300422242	42 x 22 x 42
B2151300422842	B1151300422842	42 x 28 x 42
B2151300423542	B1151300423542	42 x 35 x 42
B2151300541554	B1151300541554	54 x 15 x 54
B2151300541854	B1151300541854	54 x 18 x 54
B2151300542254	B1151300542254	54 x 22 x 54
B2151300542854	B1151300542854	54 x 28 x 54
B2151300543554	B1151300543554	54 x 35 x 54
B2151300544254	B1151300544254	54 x 42 x 54
B2151300762276	B1151300762276	76.1 x 22 x 76.1
B2151300762876	B1151300762876	76.1 x 28 x 76.1
B2151300763576	B1151300763576	76.1 x 35 x 76.1
B2151300764276	B1151300764276	76.1 x 42 x 76.1
B2151300765476	B1151300765476	76.1 x 54 x 76.1
B2151300892289	B1151300892289	88.9 x 22 x 88.9
B2151300892889	B1151300892889	88.9 x 28 x 88.9
B2151300893589	B1151300893589	88.9 x 35 x 88.9
B2151300894289	B1151300894289	88.9 x 42 x 88.9
B2151300895489	B1151300895489	88.9 x 54 x 88.9
B2151300897689	B1151300897689	88.9 x 76.1 x 88.9
B21513010822108	B11513010822108	108 x 22 x 108
B21513010828108	B11513010828108	108 x 28 x 108
B21513010835108	B11513010835108	108 x 35 x 108
B21513010842108	B11513010842108	108 x 42 x 108
B21513010854108	B11513010854108	108 x 54 x 108
B21513010876108	B11513010876108	108 x 76.1 x 108
B21513010889108	B11513010889108	108 x 88.9 x 108

Equal Tee



ITEM CODE SS316L V PROFILE	ITEM CODE SS304 V PROFILE	SIZE (MM)
B2151300151515	B1151300151515	15
B2151300181818	B1151300181818	18
B2151300222222	B1151300222222	22
B2151300282828	B1151300282828	28
B2151300353535	B1151300353535	35
B2151300424242	B1151300424242	42
B2151300545454	B1151300545454	54
B2151300767676	B1151300767676	76.1
B2151300898989	B1151300898989	88.9
B215130108108108	B115130108108108	108

Female Straight Coupler




ITEM CODE SS316L V PROFILE	ITEM CODE SS304 V PROFILE	SIZE (MM)
B214270G0150300	B114270G0150300	15 x Rp 3/8"
B214270G0150400	B114270G0150400	15 x Rp 1/2"
B214270G0150600	B114270G0150600	15 x Rp 3/4"
B214270G0180400	B114270G0180400	18 x Rp 1/2"
B214270G0180600	B114270G0180600	18 x Rp 3/4"
B214270G0220400	B114270G0220400	22 x Rp 1/2"
B214270G0220600	B114270G0220600	22 x Rp 3/4"
B214270G0220800	B114270G0220800	22 x Rp 1"
B214270G0280600	B114270G0280600	28 x Rp 3/4"
B214270G0280800	B114270G0280800	28 x Rp 1"
B214270G0281000	B114270G0281000	28 x Rp 1 1/4"
B214270G0350800	B114270G0350800	35 x Rp 1"
B214270G0351000	B114270G0351000	35 x Rp 1 1/4"
B214270G0351200	B114270G0351200	35 x Rp 1 1/2"
B214270G0421000	B114270G0421000	42 x Rp 1 1/4"
B214270G0421200	B114270G0421200	42 x Rp 1 1/2"
B214270G0541200	B114270G0541200	54 x Rp 1 1/2"
B214270G0541600	B114270G0541600	54 x Rp 2"
B214270G0762000	B114270G0762000	76.1 x Rp2 1/2"
B214270G0892400	B114270G0892400	88.9 x Rp 3"

Male Straight Coupler



ITEM CODE SS316L V PROFILE	ITEM CODE SS304 V PROFILE	SIZE (MM)
B214243G0150300	B114243G0150300	15 x R 3/8"
B214243G0150400	B114243G0150400	15 x R 1/2"
B214243G0150600	B114243G0150600	15 x R 3/4"
B214243G0180400	B114243G0180400	18 x R 1/2"
B214243G0180600	B114243G0180600	18 x R 3/4"
B214243G0150400	B114243G0150400	15 x R 1/2"
B214243G0220400	B114243G0220400	22 x R 1/2"
B214243G0220600	B114243G0220600	22 x R 3/4"
B214243G0220800	B114243G0220800	22 x R 1"
B214243G0280400	B114243G0280400	28 x R 1/2"
B214243G0280600	B114243G0280600	28 x R 3/4"
B214243G0280800	B114243G0280800	28 x R 1"
B214243G0281000	B114243G0281000	28 x R 1 1/4"
B214243G0350400	B114243G0350400	35 x R 1/2"
B214243G0350800	B114243G0350800	35 x R 1"
B214243G0351000	B114243G0351000	35 x R 1 1/4"
B214243G0351200	B114243G0351200	35 x R 1 1/2"
B214243G0421000	B114243G0421000	42 x R 1 1/4"
B214243G0421200	B114243G0421200	42 x R 1 1/2"
B214243G0541200	B114243G0541200	54 x R 1 1/2"
B214243G0541600	B114243G0541600	54 x R 2"
B214243G0762000	B114243G0762000	76.1 x R 2 1/2"
B214243G0892400	B114243G0892400	88.9 x R 3"
B214243G1083200	B114243G1083200	108 x R 4"

Full Crossover



ITEM CODE SS316L V PROFILE	ITEM CODE SS304 V PROFILE	SIZE (MM)
B2150880150000	B1150880150000	15
B2150880180000	B1150880180000	18
B2150880220000	B1150880220000	22
B2150880280000	B1150880280000	28

Part Crossover



ITEM CODE SS316L V PROFILE	ITEM CODE SS304 V PROFILE	SIZE (MM)
B2150870150000	B1150870150000	15
B2150870180000	B1150870180000	18
B2150870220000	B1150870220000	22
B2150870280000	B1150870280000	28

90° Bend with Female Swivel Nut



ITEM CODE SS316L V PROFILE	ITEM CODE SS304 V PROFILE	SIZE (MM)
B214096A0150400	B114096A0150400	15 x 1/2"
B214096A0180400	B114096A0180400	18 x 1/2"
B214096A0220600	B114096A0220600	22 x 3/4"
B214096A0280800	B114096A0280800	28 x 1"
B214096A0351000	B114096A0351000	35 x 1 1/4"
B214096A0421200	B114096A0421200	42 x 1 1/2"
B214096A0541600	B114096A0541600	54 x 2"

Tee with Male Branch



ITEM CODE SS316L V PROFILE	ITEM CODE SS304 V PROFILE	SIZE (MM)
B214132G0150315	B114132G0150315	15 x R 3/8"
B214132G0150415	B114132G0150415	15 x R 1/2"
B214132G0220622	B114132G0220622	22 x R 3/4"
B214132G0280828	B114132G0280828	28 x R 1"
B214132G0351035	B114132G0351035	35 x R 1 1/4"

Straight Threaded Union with Female Swivel Nut



ITEM CODE SS316L V PROFILE	ITEM CODE SS304 V PROFILE	SIZE (MM)
B214340A0150400	B114340A0150400	15 x G 1/2"
B214340A0150600	B114340A0150600	15 x G 3/4"
B214340A0180400	B114340A0180400	18 x G 1/2"
B214340A0180600	B114340A0180600	18 x G 3/4"
B214340A0220600	B114340A0220600	22 x G 3/4"
B214340A0220800	B114340A0220800	22 x G 1"
B214340A0281000	B114340A0281000	28 x G 1 1/4"
B214340A0351000	B114340A0351000	35 x G 1 1/4"
B214340A0351200	B114340A0351200	35 x G 1 1/2"
B214340A0421200	B114340A0421200	42 x G 1 1/2"
B214340A0421000	B114340A0421000	42 x G 1 1/4"
B214340A0421600	B114340A0421600	42 x G 2"
B214340A0541600	B114340A0541600	54 x G 2"
B214340A0542000	B114340A0542000	54 x G 2 1/2"

PN16 Flange



ITEM CODE SS316L V PROFILE	ITEM CODE SS304 V PROFILE	SIZE (MM)
B215230D0150000	B115230D0150000	15
B215230D0180000	B115230D0180000	18
B215230D0220000	B115230D0220000	22
B215230D0280000	B115230D0280000	28
B215230D0350000	B115230D0350000	35
B215230D0420000	B115230D0420000	42
B215230D0540000	B115230D0540000	54
B215230D0760000	B115230D0760000	76.1
B215230D0890000	B115230D0890000	88.9
B215230D1080000	B115230D1080000	108

Stop End



ITEM CODE SS316L V PROFILE	ITEM CODE SS304 V PROFILE	SIZE (MM)
B2153010150000	B1153010150000	15
B2153010180000	B1153010180000	18
B2153010220000	B1153010220000	22
B2153010280000	B1153010280000	28
B2153010350000	B1153010350000	35
B2153010420000	B1153010420000	42
B2153010540000	B1153010540000	54
B2153010670000	B1153010670000	66.7
B2153010760000	B1153010760000	76.1
B2153010890000	B1153010890000	88.9
B2153011080000	B1153011080000	108

Male Straight Union Connector



ITEM CODE SS316L V PROFILE	ITEM CODE SS304 V PROFILE	SIZE (MM)
B214331G0150400	B114331G0150400	15 x R 1/2"
B214331G0150600	B114331G0150600	15 x R 3/4"
B214331G0180400	B114331G0180400	18 x R 1/2"
B214331G0180600	B114331G0180600	18 x R 3/4"
B214331G0220400	B114331G0220400	22 x R 1/2"
B214331G0220600	B114331G0220600	22 x R 3/4"
B214331G0220800	B114331G0220800	22 x R 1"
B214331G0280800	B114331G0280800	28 x R 1"
B214331G0281000	B114331G0281000	28 x R1 1/4"
B214331G0351000	B114331G0351000	35 x R1 1/4"
B214331G0421200	B114331G0421200	42 x R1 1/2"
B214331G0541600	B114331G0541600	54 x R2"

Female Straight Union Connector



ITEM CODE SS316L V PROFILE	ITEM CODE SS304 V PROFILE	SIZE (MM)
B214330G0150400	B114330G0150400	15 x Rp 1/2"
B214330G0150600	B114330G0150600	15 x Rp 3/4"
B214330G0180400	B114330G0180400	18 x Rp 1/2"
B214330G0180600	B114330G0180600	18 x Rp 3/4"
B214330G0220800	B114330G0220800	22 x Rp 1"
B214330G0220600	B114330G0220600	22 x Rp 3/4"
B214330G0280800	B114330G0280800	28 x Rp 1"
B214330G0281000	B114330G0281000	28 x Rp 1 1/4"
B214330G0351000	B114330G0351000	35 x Rp 1 1/4"
B214330G0421200	B114330G0421200	42 x Rp 1 1/2"
B214330G0541600	B114330G0541600	54 x Rp 2"

Plug End



ITEM CODE SS316L V PROFILE	ITEM CODE SS304 V PROFILE	SIZE (MM)
B21R3020150000	B11R3020150000	15
B21R3020220000	B11R3020220000	22
B21R3020280000	B11R3020280000	28
B21R3020350000	B11R3020350000	35
B21R3020420000	B11R3020420000	42
B21R3020540000	B11R3020540000	54
B21R3020760000	B11R3020760000	76.1
B21R3020890000	B11R3020890000	88.9
B21R3021080000	B11R3021080000	108

Union Coupler

ITEM CODE SS316L V PROFILE	ITEM CODE SS304 V PROFILE	SIZE (MM)
B2143400150000	B1143400150000	15
B2143400180000	B1143400180000	18
B2143400220000	B1143400220000	22
B2143400280000	B1143400280000	28
B2143400350000	B1143400350000	35
B2143400420000	B1143400420000	42
B2143400540000	B1143400540000	54

Equal Coupler



ITEM CODE SS316L M PROFILE	ITEM CODE SS304 M PROFILE	SIZE (MM)
DB2152700150000	DB1152700150000	15
DB2152700180000	DB1152700180000	18
DB2152700220000	DB1152700220000	22
DB2152700280000	DB1152700280000	28
DB2152700350000	DB1152700350000	35
DB2152700420000	DB1152700420000	42
DB2152700540000	DB1152700540000	54
DB2152700760000	DB1152700760000	76.1
DB2152700890000	DB1152700890000	88.9
DB2152701080000	DB1152701080000	108

Equal Slip Coupler



ITEM CODE SS316L M PROFILE	ITEM CODE SS304 M PROFILE	SIZE (MM)
DB2142750150000	DB1142750150000	15
DB2142750180000	DB1142750180000	18
DB2142750220000	DB1142750220000	22
DB2142750280000	DB1142750280000	28
DB2142750350000	DB1142750350000	35
DB2142750420000	DB1142750420000	42
DB2142750540000	DB1142750540000	54
DB2142750760000	DB1142750760000	76.1
DB2142750890000	DB1142750890000	88.9
DB2142751080000	DB1142751080000	108

90° Equal Bend



ITEM CODE SS316L M PROFILE	ITEM CODE SS304 M PROFILE	SIZE (MM)
DB2150020150000	DB1150020150000	15
DB2150020180000	DB1150020180000	18
DB2150020220000	DB1150020220000	22
DB2150020280000	DB1150020280000	28
DB2150020350000	DB1150020350000	35
DB2150020420000	DB1150020420000	42
DB2150020540000	DB1150020540000	54
DB2150020760000	DB1150020760000	76.1
DB2150020890000	DB1150020890000	88.9
DB2150021080000	DB1150021080000	108

90° Street Bend



ITEM CODE SS316L M PROFILE	ITEM CODE SS304 M PROFILE	SIZE (MM)
DB2150010150000	DB1150010150000	15
DB2150010180000	DB1150010180000	18
DB2150010220000	DB1150010220000	22
DB2150010280000	DB1150010280000	28
DB2150010350000	DB1150010350000	35
DB2150010420000	DB1150010420000	42
DB2150010540000	DB1150010540000	54
DB2150010760000	DB1150010760000	76.1
DB2150010890000	DB1150010890000	88.9
DB2150011080000	DB1150011080000	108

90° Extend Street Bend



ITEM CODE SS316L M PROFILE	ITEM CODE SS304 M PROFILE	SIZE (MM)
DB215001E0150000	DB115001E0150000	15
DB215001E0180000	DB115001E0180000	18
DB215001E0220000	DB115001E0220000	22
DB215001E0280000	DB115001E0280000	28
DB215001E0350000	DB115001E0350000	35
DB215001E0420000	DB115001E0420000	42
DB215001E0540000	DB115001E0540000	54

45° Obtuse Equal Elbow



ITEM CODE SS316L M PROFILE	ITEM CODE SS304 M PROFILE	SIZE (MM)
DB2150410150000	DB1150410150000	15
DB2150410180000	DB1150410180000	18
DB2150410220000	DB1150410220000	22
DB2150410280000	DB1150410280000	28
DB2150410350000	DB1150410350000	35
DB2150410420000	DB1150410420000	42
DB2150410540000	DB1150410540000	54
DB2150410760000	DB1150410760000	76.1
DB2150410890000	DB1150410890000	88.9
DB2150411080000	DB1150411080000	108

45° Obtuse Street Elbow



ITEM CODE SS316L M PROFILE	ITEM CODE SS304 M PROFILE	SIZE (MM)
DB2150400150000	DB1150400150000	15
DB2150400180000	DB1150400180000	18
DB2150400220000	DB1150400220000	22
DB2150400280000	DB1150400280000	28
DB2150400350000	DB1150400350000	35
DB2150400420000	DB1150400420000	42
DB2150400540000	DB1150400540000	54
DB2150400760000	DB1150400760000	76.1
DB2150400890000	DB1150400890000	88.9
DB2150401080000	DB1150401080000	108

90° Bend with Female Thread



ITEM CODE SS316L M PROFILE	ITEM CODE SS304 M PROFILE	SIZE (MM)
DB214002G0150400	DB114002G0150400	15 × Rp 1/2"
DB214002G0180400	DB114002G0180400	18 × Rp 1/2"
DB214002G0180600	DB114002G0180600	18 × Rp 3/4"
DB214002G0220600	DB114002G0220600	22 × Rp 3/4"
DB214002G0280800	DB114002G0280800	28 × Rp 1"
DB214002G0351000	DB114002G0351000	35 × Rp 1 1/4"
DB214002G0421200	DB114002G0421200	42 × Rp 1 1/2"
DB214002G0541600	DB114002G0541600	54 × Rp 2"

90° Bend with Male Thread



ITEM CODE SS316L M PROFILE	ITEM CODE SS304 M PROFILE	SIZE (MM)
DB214001G0150400	DB114001G0150400	15 × R 1/2"
DB214001G0180400	DB114001G0180400	18 × R 1/2"
DB214001G0180600	DB114001G0180600	18 × R 3/4"
DB214001G0220600	DB114001G0220600	22 × R 3/4"
DB214001G0280800	DB114001G0280800	28 × R 1"
DB214001G0351000	DB114001G0351000	35 × R 1 1/4"
DB214001G0421200	DB114001G0421200	42 × R 1 1/2"
DB214001G0541600	DB114001G0541600	54 × R 2"

90° Elbow with Female Thread



ITEM CODE SS316L M PROFILE	ITEM CODE SS304 M PROFILE	SIZE (MM)
DB214090G0150400	DB114090G0150400	15 x Rp 1/2"
DB214090G0180400	DB114090G0180400	18 x Rp 1/2"
DB214090G0220400	DB114090G0220400	22 x Rp 1/2"
DB214090G0220600	DB114090G0220600	22 x Rp 3/4"
DB214090G0280800	DB114090G0280800	28 x Rp 1"
DB214090G0351000	DB114090G0351000	35 x Rp 1 1/4"

90° Elbow with Male Thread



ITEM CODE SS316L M PROFILE	ITEM CODE SS304 M PROFILE	SIZE (MM)
DB214092G0150400	DB114092G0150400	15 x R 1/2"
DB214092G0180400	DB114092G0180400	18 x R 1/2"
DB214092G0220600	DB114092G0220600	22 x R 3/4"
DB214092G0280800	DB114092G0280800	28 x R 1"
DB214092G0351000	DB114092G0351000	35 x R 1 1/4"
DB214092G0421200	DB114092G0421200	42 x R 1 1/2"
DB214092G0541600	DB114092G0541600	54 x R2"

Wallplate Elbow with Female Thread



ITEM CODE SS316L M PROFILE	ITEM CODE SS304 M PROFILE	SIZE (MM)
DB214471G0150400	DB114471G0150400	15 x Rp 1/2"
DB214471G0180400	DB114471G0180400	18 x Rp 1/2"
DB214471G0220600	DB114471G0220600	22 x Rp 3/4"

Straight Flat Face Union with Female Swivel Nut



ITEM CODE SS316L M PROFILE	ITEM CODE SS304 M PROFILE	SIZE (MM)
DB2143350150400	DB1143350150400	15 x G 1/2"
DB2143350150600	DB1143350150600	15 x G 3/4"
DB2143350180600	DB1143350180600	18 x G 3/4"
DB2143350220600	DB1143350220600	22 x G 3/4"
DB2143350220800	DB1143350220800	22 x G 1"
DB2143350280800	DB1143350280800	28 x G 1"
DB2143350281000	DB1143350281000	28 x 1 1/4"
DB2143350351000	DB1143350351000	35 x G 1 1/4"
DB2143350351200	DB1143350351200	35 x G 1 1/2"
DB2143350421200	DB1143350421200	42 x G 1 1/2"
DB2143350541600	DB1143350541600	54 x G 2"
DB2143350762000	DB1143350762000	76.1 x G 2 1/2"

Tee with Female Branch



ITEM CODE SS316L M PROFILE	ITEM CODE SS304 M PROFILE	SIZE (MM)
DB214130G0150415	DB114130G0150415	15 x Rp 1/2" x 15
DB214130G0180418	DB114130G0180418	18 x Rp 1/2" x 18
DB214130G0180618	DB114130G0180618	18 x Rp 3/4" x 18
DB214130G0220422	DB114130G0220422	22 x Rp 1/2" x 22
DB214130G0220622	DB114130G0220622	22 x Rp 3/4" x 22
DB214130G0280428	DB114130G0280428	28 x Rp 1/2" x 28
DB214130G0280628	DB114130G0280628	28 x Rp 3/4" x 28
DB214130G0280828	DB114130G0280828	28 x Rp 1" x 28
DB214130G0350435	DB114130G0350435	35 x Rp 1/2" x 35
DB214130G0350635	DB114130G0350635	35 x Rp 3/4" x 35
DB214130G0350835	DB114130G0350835	35 x Rp 1" x 35
DB214130G0351035	DB114130G0351035	35 x Rp 1 1/4" x 35
DB214130G0420442	DB114130G0420442	42 x Rp 1/2" x 42
DB214130G0420642	DB114130G0420642	42 x Rp 3/4" x 42
DB214130G0420842	DB114130G0420842	42 x Rp 1" x 42
DB214130G0421242	DB114130G0421242	42 x Rp 1 1/2" x 42
DB214130G0540454	DB114130G0540454	54 x Rp 1/2" x 54
DB214130G0540654	DB114130G0540654	54 x Rp 3/4" x 54
DB214130G0540854	DB114130G0540854	54 x Rp 1" x 54
DB214130G0541654	DB114130G0541654	54 x Rp 2" x 54
DB214130G0760676	DB114130G0760676	76.1x Rp 3/4"x 76.1
DB214130G0761676	DB114130G0761676	76.1 x Rp 2"x76
DB214130G0890689	DB114130G0890689	88.9 x Rp 3/4"x88.9
DB214130G0891689	DB114130G0891689	88.9 x Rp 2"x88.9
DB214130G10806108	DB114130G10806108	108 x Rp 3/4"x108
DB214130G10816108	DB114130G10816108	108 x Rp 2"x108

Reduced Coupler



ITEM CODE SS316L M PROFILE	ITEM CODE SS304 M PROFILE	SIZE (MM)
DB2152400181500	DB1152400181500	18 × 15
DB2152400221500	DB1152400221500	22 × 15
DB2152400221800	DB1152400221800	22 × 18
DB2152400281500	DB1152400281500	28 × 15
DB2152400281800	DB1152400281800	28 × 18
DB2152400282200	DB1152400282200	28 × 22
DB2152400352200	DB1152400352200	35 × 22
DB2152400352800	DB1152400352800	35 × 28
DB2152400422200	DB1152400422200	42 × 22
DB2152400422800	DB1152400422800	42 × 28
DB2152400423500	DB1152400423500	42 × 35
DB2152400542800	DB1152400542800	54 × 28
DB2152400543500	DB1152400543500	54 × 35
DB2152400544200	DB1152400544200	54 × 42

Fitting Reducer



ITEM CODE SS316L M PROFILE	ITEM CODE SS304 M PROFILE	SIZE (MM)
DB2152430181500	DB1152430181500	18 × 15
DB2152430221500	DB1152430221500	22 × 15
DB2152430221800	DB1152430221800	22 × 18
DB2152430281500	DB1152430281500	28 × 15
DB2152430281800	DB1152430281800	28 × 18
DB2152430282200	DB1152430282200	28 × 22
DB2152430351500	DB1152430351500	35 × 15
DB2152430351800	DB1152430351800	35 × 18
DB2152430352200	DB1152430352200	35 × 22
DB2152430352800	DB1152430352800	35 × 28
DB2152430421500	DB1152430421500	42 × 15
DB2152430421800	DB1152430421800	42 × 18
DB2152430422200	DB1152430422200	42 × 22
DB2152430422800	DB1152430422800	42 × 28
DB2152430423500	DB1152430423500	42 × 35
DB2152430541500	DB1152430541500	54 × 15
DB2152430541800	DB1152430541800	54 × 18
DB2152430542200	DB1152430542200	54 × 22
DB2152430542800	DB1152430542800	54 × 28
DB2152430543500	DB1152430543500	54 × 35
DB2152430544200	DB1152430544200	54 × 42
DB2152430762200	DB1152430762200	76.1 × 22
DB2152430762800	DB1152430762800	76.1 × 28
DB2152430763500	DB1152430763500	76.1 × 35
DB2152430764200	DB1152430764200	76.1 × 42
DB2152430765400	DB1152430765400	76.1 × 54
DB2152430894200	DB1152430894200	88.9 × 42
DB2152430895400	DB1152430895400	88.9 × 54
DB2152430897600	DB1152430897600	88.9 × 76.1
DB2152431085400	DB1152431085400	108 × 54
DB2152431087600	DB1152431087600	108 × 76.1
DB2152431088900	DB1152431088900	108 × 88.9

Tee with Reduced Branch



ITEM CODE SS316L M PROFILE	ITEM CODE SS304 M PROFILE	SIZE (MM)
DB2151300181518	DB1151300181518	18 × 15 × 18
DB2151300221522	DB1151300221522	22 × 15 × 22
DB2151300221822	DB1151300221822	22 × 18 × 22
DB2151300281528	DB1151300281528	28 × 15 × 28
DB2151300281828	DB1151300281828	28 × 18 × 28
DB2151300282228	DB1151300282228	28 × 22 × 28
DB2151300351535	DB1151300351535	35 × 15 × 35
DB2151300351835	DB1151300351835	35 × 18 × 35
DB2151300352235	DB1151300352235	35 × 22 × 35
DB2151300352835	DB1151300352835	35 × 28 × 35
DB2151300421542	DB1151300421542	42 × 15 × 42
DB2151300421842	DB1151300421842	42 × 18 × 42
DB2151300422242	DB1151300422242	42 × 22 × 42
DB2151300422842	DB1151300422842	42 × 28 × 42
DB2151300423542	DB1151300423542	42 × 35 × 42
DB2151300541554	DB1151300541554	54 × 15 × 54
DB2151300541854	DB1151300541854	54 × 18 × 54
DB2151300542254	DB1151300542254	54 × 22 × 54
DB2151300542854	DB1151300542854	54 × 28 × 54
DB2151300543554	DB1151300543554	54 × 35 × 54
DB2151300544254	DB1151300544254	54 × 42 × 54
DB2151300762276	DB1151300762276	76.1 × 22 × 76.1
DB2151300762876	DB1151300762876	76.1 × 28 × 76.1
DB2151300763576	DB1151300763576	76.1 × 35 × 76.1
DB2151300764276	DB1151300764276	76.1 × 42 × 76.1
DB2151300765476	DB1151300765476	76.1 × 54 × 76.1
DB2151300892289	DB1151300892289	88.9 × 22 × 88.9
DB2151300892889	DB1151300892889	88.9 × 28 × 88.9
DB2151300893589	DB1151300893589	88.9 × 35 × 88.9
DB2151300894289	DB1151300894289	88.9 × 42 × 88.9
DB2151300895489	DB1151300895489	88.9 × 54 × 88.9
DB2151300897689	DB1151300897689	88.9 × 76.1 × 88.9
DB21513010822108	DB11513010822108	108 × 22 × 108
DB21513010828108	DB11513010828108	108 × 28 × 108
DB21513010835108	DB11513010835108	108 × 35 × 108
DB21513010842108	DB11513010842108	108 × 42 × 108
DB21513010854108	DB11513010854108	108 × 54 × 108
DB21513010876108	DB11513010876108	108 × 76.1 × 108
DB21513010889108	DB11513010889108	108 × 88.9 × 108

Equal Tee



ITEM CODE SS316L M PROFILE	ITEM CODE SS304 M PROFILE	SIZE (MM)
DB2151300151515	DB1151300151515	15
DB2151300181818	DB1151300181818	18
DB2151300222222	DB1151300222222	22
DB2151300282828	DB1151300282828	28
DB2151300353535	DB1151300353535	35
DB2151300424242	DB1151300424242	42
DB2151300545454	DB1151300545454	54
DB2151300767676	DB1151300767676	76.1
DB2151300898989	DB1151300898989	88.9
DB21513018108108	DB11513018108108	108

Female Straight Coupler



ITEM CODE SS316L M PROFILE	ITEM CODE SS304 M PROFILE	SIZE (MM)
DB214270G0150300	DB114270G0150300	15 x Rp 3/8"
DB214270G0150400	DB114270G0150400	15 x Rp 1/2"
DB214270G0150600	DB114270G0150600	15 x Rp 3/4"
DB214270G0180400	DB114270G0180400	18 x Rp 1/2"
DB214270G0180600	DB114270G0180600	18 x Rp 3/4"
DB214270G0220400	DB114270G0220400	22 x Rp 1/2"
DB214270G0220600	DB114270G0220600	22 x Rp 3/4"
DB214270G0220800	DB114270G0220800	22 x Rp 1"
DB214270G0281000	DB114270G0281000	28 x Rp 1 1/4"
DB214270G0350800	DB114270G0350800	35 x Rp 1"
DB214270G0351000	DB114270G0351000	35 x Rp 1 1/4"
DB214270G0351200	DB114270G0351200	35 x Rp 1 1/2"
DB214270G0421000	DB114270G0421000	42 x Rp 1 1/4"
DB214270G0421200	DB114270G0421200	42 x Rp 1 1/2"
DB214270G0541200	DB114270G0541200	54 x Rp 1 1/2"
DB214270G0541600	DB114270G0541600	54 x Rp 2"
DB214270G0541200	DB114270G0541200	54 x Rp 1 1/2"
DB214270G0541200	DB114270G0541200	76.1 x Rp2 1/2"
DB214270G0892400	DB114270G0892400	88.9 x Rp3"

Male Straight Coupler



ITEM CODE SS316L M PROFILE	ITEM CODE SS304 M PROFILE	SIZE (MM)
DB214243G0150300	DB114243G0150300	15 x R 3/8"
DB214243G0150400	DB114243G0150400	15 x R 1/2"
DB214243G0150600	DB114243G0150600	15 x R 3/4"
DB214243G0180400	DB114243G0180400	18 x R 1/2"
DB214243G0180600	DB114243G0180600	18 x R 3/4"
DB214243G0220400	DB114243G0220400	22 x R 1/2"
DB214243G0220600	DB114243G0220600	22 x R 3/4"
DB214243G0220800	DB114243G0220800	22 x R 1"
DB214243G0280400	DB114243G0280400	28 x R1/2"
DB214243G0280600	DB114243G0280600	28 x R 3/4"
DB214243G0280800	DB114243G0280800	28 x R 1"
DB214243G0281000	DB114243G0281000	28 x R 1 1/4"
DB214243G0350400	DB114243G0350400	35 x R 1/2"
DB214243G0350800	DB114243G0350800	35 x R 1"
DB214243G0351000	DB114243G0351000	35 x R 1 1/4"
DB214243G0351200	DB114243G0351200	35 x R 1 1/2"
DB214243G0421000	DB114243G0421000	42 x R 1 1/4"
DB214243G0421200	DB114243G0421200	42 x R 1 1/2"
DB214243G0541200	DB114243G0541200	54 x R 1 1/2"
DB214243G0541600	DB114243G0541600	54 x R 2"
DB214243G0762000	DB114243G0762000	76.1 x R 2 1/2"
DB214243G0892400	DB114243G0892400	88.9 x R 3"
DB214243G1083200	DB114243G1083200	108 x R 4"

Full Crossover



ITEM CODE SS316L M PROFILE	ITEM CODE SS304 M PROFILE	SIZE (MM)
DB2150880150000	DB1150880150000	15
DB2150880180000	DB1150880180000	18
DB2150880220000	DB1150880220000	22
DB2150880280000	DB1150880280000	28

Part Crossover



ITEM CODE SS316L M PROFILE	ITEM CODE SS304 M PROFILE	SIZE (MM)
B2150870150000	B1150870150000	15
B2150870180000	B1150870180000	18
B2150870220000	B1150870220000	22
B2150870280000	B1150870280000	28

90° Bend with Female Swivel Nut



ITEM CODE SS316L M PROFILE	ITEM CODE SS304 M PROFILE	SIZE (MM)
DB214096A0150400	DB114096A0150400	G15 x 1/2"
DB214096A0180400	DB114096A0180400	G18x1/2"
DB214096A0220600	DB114096A0220600	G22 x 3/4"
DB214096A0280800	DB114096A0280800	G28 x 1"
DB214096A0351000	DB114096A0351000	G35 x 1 1/4"
DB214096A0421200	DB114096A0421200	G42 x 1 1/2"
DB214096A0541600	DB114096A0541600	G54 x 2"

Tee with Male Branch



ITEM CODE SS316L M PROFILE	ITEM CODE SS304 M PROFILE	SIZE (MM)
DB214132G0150315	DB114132G0150315	15 x R 3/8"
DB214132G0150415	DB114132G0150415	15 x R 1/2"
DB214132G0220622	DB114132G0220622	22 x R 3/4"
DB214132G0280828	DB114132G0280828	28 x R 1"
DB214132G0351035	DB114132G0351035	35 x R 1 1/4"

Straight Threaded Union with Female Swivel Nut



ITEM CODE SS316L M PROFILE	ITEM CODE SS304 M PROFILE	SIZE (MM)
DB214340A0150400	DB114340A0150400	15 x G 1/2"
DB214340A0150600	DB114340A0150600	15 x G 3/4"
DB214340A0180400	DB114340A0180400	18 x G 1/2"
DB214340A0180600	DB114340A0180600	18 x G 3/4"
DB214340A0220800	DB114340A0220800	22 x G 1"
DB214340A0220600	DB114340A0220600	22 x G 3/4"
DB214340A0280800	DB114340A0280800	28 x G 1"
DB214340A0281000	DB114340A0281000	28 x G 1 1/4"
DB214340A0351000	DB114340A0351000	35 x G1 1/4"
DB214340A0351200	DB114340A0351200	35 x G1 1/2"
DB214340A0421200	DB114340A0421200	42 x G1 1/2"
DB214340A0421600	DB114340A0421600	42 x G 2"
DB214340A0541600	DB114340A0541600	54 x G 2"
DB214340A0421000	DB114340A0421000	42 x G1 1/4"
DB214340A0542000	DB114340A0542000	54 x G2 1/2"

PN16 Flange



ITEM CODE SS316L M PROFILE	ITEM CODE SS304 M PROFILE	SIZE (MM)
DB215230D0150000	DB115230D0150000	15
DB215230D0180000	DB115230D0180000	18
DB215230D0220000	DB115230D0220000	22
DB215230D0280000	DB115230D0280000	28
DB215230D0350000	DB115230D0350000	35
DB215230D0420000	DB115230D0420000	42
DB215230D0540000	DB115230D0540000	54
DB215230D0760000	DB115230D0760000	76.1
DB215230D0890000	DB115230D0890000	88.9
DB215230D1080000	DB115230D1080000	108

Stop End



ITEM CODE SS316L M PROFILE	ITEM CODE SS304 M PROFILE	SIZE (MM)
DB2153010150000	DB1153010150000	15
DB2153010180000	DB1153010180000	18
DB2153010220000	DB1153010220000	22
DB2153010280000	DB1153010280000	28
DB2153010350000	DB1153010350000	35
DB2153010420000	DB1153010420000	42
DB2153010540000	DB1153010540000	54
DB2153010670000	DB1153010670000	66.7
DB2153010760000	DB1153010760000	76.1
DB2153010890000	DB1153010890000	88.9
DB2153011080000	DB1153011080000	108

Male Straight Union Connector



ITEM CODE SS316L M PROFILE	ITEM CODE SS304 M PROFILE	SIZE (MM)
DB214331G0150400	DB114331G0150400	15 x R1/2"
DB214331G0150600	DB114331G0150600	15 x R3/4"
DB214331G0180400	DB114331G0180400	18 x R1/2"
DB214331G0180600	DB114331G0180600	18 x R3/4"
DB214331G0220400	DB114331G0220400	22 x R1/2"
DB214331G0220600	DB114331G0220600	22 x R3/4"
DB214331G0220800	DB114331G0220800	22 x R1"
DB214331G0280800	DB114331G0280800	28 x R1"
DB214331G0281000	DB114331G0281000	28 x R1 1/4"
DB214331G0351000	DB114331G0351000	35 x R1 1/4"
DB214331G0421200	DB114331G0421200	42 x R1 1/2"
DB214331G0541600	DB114331G0541600	54 x R2"

Female Straight Union Connector



ITEM CODE SS316L M PROFILE	ITEM CODE SS304 M PROFILE	SIZE (MM)
DB214330G0150400	DB114330G0150400	15 x Rp 1/2"
DB214330G0150600	DB114330G0150600	15 x Rp 3/4"
DB214330G0180400	DB114330G0180400	18 x Rp 1/2"
DB214330G0180600	DB114330G0180600	18 x Rp 3/4"
DB214330G0220600	DB114330G0220600	22 x Rp 3/4"
DB214330G0220800	DB114330G0220800	22 x Rp 1"
DB214330G0280800	DB114330G0280800	28 x Rp 1"
DB214330G0281000	DB114330G0281000	28 x Rp 1 1/4"
DB214330G0351000	DB114330G0351000	35 x Rp 1 1/4"
DB214330G0421200	DB114330G0421200	42 x Rp 1 1/2"
DB214330G0541600	DB114330G0541600	54 x Rp 2"

Plug End



ITEM CODE SS316L M PROFILE	ITEM CODE SS304 M PROFILE	SIZE (MM)
B21R3020150000	B11R3020150000	15
B21R3020180000	B11R3020180000	18
B21R3020220000	B11R3020220000	22
B21R3020280000	B11R3020280000	28
B21R3020350000	B11R3020350000	35
B21R3020420000	B11R3020420000	42
B21R3020540000	B11R3020540000	54
B21R3020760000	B11R3020760000	76.1
B21R3020890000	B11R3020890000	88.9
B21R3021080000	B11R3021080000	108

Union Coupler



ITEM CODE SS316L M PROFILE	ITEM CODE SS304 M PROFILE	SIZE (MM)
DB2143400150000	DB1143400150000	15
DB2143400180000	DB1143400180000	18
DB2143400220000	DB1143400220000	22
DB2143400280000	DB1143400280000	28
DB2143400350000	DB1143400350000	35
DB2143400420000	DB1143400420000	42
DB2143400540000	DB1143400540000	54



Stainless Steel Tube EN10312-SERIES 2



SS304, 1.4301
X5CrNi18-10

ITEM CODE	OUTSIDE DIAMETER(MM)	WALL THICKNESS(MM)
B11TUBE-15-2	15	1.0
B11TUBE-18-2	18	1.0
B11TUBE-22-2	22	1.2
B11TUBE-28-2	28	1.2
B11TUBE-35-2	35	1.5
B11TUBE-42-2	42	1.5
B11TUBE-54-2	54	1.5
B11TUBE-54-2	64	2.0
B11TUBE-76-2	76.1	2.0
B11TUBE-89-2	88.9	2.0
B11TUBE-108-2	108	2.0
B11TUBE-133-2	133	3.0
B11TUBE-159-2	159	3.0
B11TUBE-219-2	219	3.0

Stainless Steel Tube EN10312-SERIES 1



SS304, 1.4301
X5CrNi18-10

ITEM CODE	OUTSIDE DIAMETER(MM)	WALL THICKNESS(MM)
B11TUBE-15-1	15	0.6
B11TUBE-18-1	18	0.7
B11TUBE-22-1	22	0.7
B11TUBE-28-1	28	0.8
B11TUBE-35-1	35	1.0
B11TUBE-42-1	42	1.1
B11TUBE-54-1	54	1.2
B11TUBE-67-1	66.7	1.2
B11TUBE-76-2	76.1	1.5
B11TUBE-108-2	108	1.5
B11TUBE-133-2	133	1.5
B11TUBE-159-2	159	2.0

Stainless Steel Tube EN10312-SERIES 2



SS316L, 1.4404
X2CrNiMo17-12-2

ITEM CODE	OUTSIDE DIAMETER(MM)	WALL THICKNESS(MM)
B21TUBE-15-2	15	1.0
B21TUBE-18-2	18	1.0
B21TUBE-22-2	22	1.2
B21TUBE-28-2	28	1.2
B21TUBE-35-2	35	1.5
B21TUBE-42-2	42	1.5
B21TUBE-54-2	54	1.5
B21TUBE-54-2	64	2.0
B21TUBE-76-2	76.1	2.0
B21TUBE-89-2	88.9	2.0
B21TUBE-108-2	108	2.0
B21TUBE-133-2	133	3.0
B21TUBE-159-2	159	3.0
B21TUBE-219-2	219	3.0

Stainless Steel Tube EN10312-SERIES 1



SS316L, 1.4404
X2CrNiMo17-12-2

ITEM CODE	OUTSIDE DIAMETER(MM)	WALL THICKNESS(MM)
B21TUBE-15-1	15	0.6
B21TUBE-18-1	18	0.7
B21TUBE-22-1	22	0.7
B21TUBE-28-1	28	0.8
B21TUBE-35-1	35	1.0
B21TUBE-42-1	42	1.1
B21TUBE-54-1	54	1.2
B21TUBE-67-1	66.7	1.2
B21TUBE-76-2	76.1	1.5
B21TUBE-108-2	108	1.5
B21TUBE-133-2	133	1.5
B21TUBE-159-2	159	2.0

CERTIFICATION

